

CITY OF CONWAY, ARKANSAS
INSPECTIONS

GENERAL INFORMATION

- Inspections are requested through the Permits and Inspections Department in City Hall at 1201 Oak Street. The telephone number is (501) 450-6107.
- Inspections may be asked for any time the office is open. However, they must be asked for by 4:30 P.M. one workday prior to the workday in which the inspection is desired.
- Footing and rough plumbing inspections will be given the highest priority, due to the possibility of inclement weather causing difficulties. The inspection must be called in before noon any workday, in order to be scheduled for inspection that same workday.
- Permits must have been issued for the work involved before the inspections will be performed.
- Complete addresses are required for all requests for inspections.
- Building permits must be posted in a readily accessible and visible position on the building site.
- If the work passes the inspection, it will be signed off on the appropriate space on the building permit.
- If the work does not pass inspection, a red tag will be left on site. If the code violations are few enough to be easily written on the card, they will be shown. In other cases, the card will say to contact the building inspector.
- In the case of a legitimate emergency which threatens health or property, these procedures may be modified at the discretion of the Permits and Inspections Department.

REQUIRED INSPECTIONS

The following structural inspections are required when the structural elements are present:

Footing (Must be called for before concrete is poured. Prior to any footing inspection, all lot lines must be staked and marked by flagged string which is affixed in such a way as to not be readily moved about).

Foundation wall (May be combined with footing on a monolithic pour).

Framing (Applies to all framing, regardless of material. Must be inspected before it is covered by insulation or finish materials).

The following plumbing inspections are required when plumbing work is performed:

Rough-in plumbing (if a concrete slab is involved, this must be called for before concrete is poured. For a crawl space, it must be called for while it can be inspected without crawling through the crawl space).

PAGE TWO

Top-out plumbing (must be inspected before it is covered by insulation or finish materials).

Final plumbing (called for after all fixtures have been installed. Copy of permit must be displayed).

The following electrical inspections are required when electrical work is performed.

Rough-in electrical (must be inspected before it is covered by insulation or finish materials).

Final electrical (called for after all fixtures and mechanical units have been installed. Copy of permit must be displayed).

The following gas inspections are required when the gas lines mentioned are installed or tested: (They may be combined in a single inspection.)

House and/or yard (air pressure gauge with 30 pounds pressure and fittings and line are inspected).

Service line (line side of meter, air pressure gauge with 60 pounds pressure and fittings and line are inspected).

The following mechanical inspections are required when heating, ventilating, or cooling equipment is installed:

Rough mechanical (performed at the time the framing is inspected. Interior air handling and heat exchanging units must be in place to inspect for appropriate clearance).

Final mechanical (all units must be installed).

PROCEDURES

Inspections must be called for by the contractor or sub-contractor taking out the permit; the builder calls for structural inspections, the electrician calls for electrical inspections, the plumber calls for plumbing inspections, mechanical contractor calls for mechanical inspections, and the individual taking out the gas permit calls for the gas inspections.

Footing inspections, rough-in plumbing inspections under slabs, and any inspections on projects where no other trades are involved will be inspected with no concern for other trades turning in related inspections.

PAGE THREE

Foundation walls will normally be inspected at the time of the footing inspection, and do not need to be called for separately except for crawl spaces. At the time of the foundation wall inspection involving crawl spaces, the floor framing must be left exposed (no sub-floor or floor) and will be called for and inspected at that time.

The following inspections are performed simultaneously with the other inspections shown, and all must be turned in within a group before any are performed.

- 1st Group - Framing
Top-out Plumbing
Rough-in Electrical
Rough Mechanical
Gas (If applicable)
- 2nd Group - Final Plumbing
Final Electrical
Final Mechanical
Final Landscaping/Parking Lot (If applicable)

REINSPECTIONS

When an inspection does not pass, the reinspection must be paid for and then called for, following the procedures above, before it will be performed. The cost for each reinspection is \$15.00.